

May 30, 2017

Additional Principal Chief Conservator of Forests Ministry of Environment, Forests & Climate Change Regional Office (WCZ), New Secretariat Building, Civil Lines, Nagpur-440 001

Sub: Submission of Six monthly compliance reports for the period October 2016
 March 2017 w.r.t <u>Umbershet Bauxite Mine</u> of M/s. Ashapura Minechem Limited, at Village- Umbershet, Taluk -Dapoli, District- Ratnagiri, Maharashtra reg.

Ref: Environmental Clearance granted by MoEF vide letter No-J-11015/418/ 2013-IA.II [M] Dated 24.02.2016.

Respected Sir,

With reference to the above cited subject, please find enclosed herewith six monthly compliance reports on environmental clearance conditions for the period October - 2016 to March - 2017, stipulated for Umbershet Bauxite Mine of Ashapura Minechem Ltd, at Village Umbershet, Taluka Dapoli, Dist. Ratnagiri, Maharashtra.

We hope the above information will fulfill your requirement.

Thanking You,

For Ashapura Minechem Limited

Authorized Signatory

C.C: The Sub Regional Officer, Maharashtra Pollution Control Board, Chiplun, Dist. Ratnagiri, Maharashtra.

ENVIRONMENTAL COMPLIANCE STATEMENT

FOR THE PERIOD OCTOBER 2016 TO MARCH 2017

Environmental Compliance Statement for submission to Ministry of Environment, Forests & Climate Change as a part of Environmental Clearance issued by MoEFCC vide No J-11015/418/2013-IA.II [M] for Umbershet Bauxite Mine, ML Area 99.8619 ha for mining 5.0 LTPA at Village Umbershet, Dapoli Taluka, Ratnagiri District, Maharashtra.

 \mathbf{BY}

ASHAPURA MINECHEM LTD Jeevan Udyog Building,3rd Floor,278,D.N.Road,Fort,Mumbai-400 001

SUBMITTED TO

MINISTRY OF ENVIRONMENT, FORESTS & CLIMATE CHANGE
REGIONAL OFFICE (WESTERN REGION)

NEW SECRETARIAT BUILDING

NAGPUR

SIX MONTHLY COMPLIANCE REPORT ON ENVIRONMNETAL CLEARANCE CONDITIONS FOR THE PERIOD OCTOBER 2016 TO MARCH 2017

<u>Name of the Project:</u> Umbershet Bauxite Mine of M/s Ashapura Minechem Limited, Village-Umbershet, Taluka-Dapoli, Dist.- Ratnagiri, Maharashtra State.

Reference: Environmental Clearance issued by MoEFCC vide letter No-J-11015/418/ 2013-IA.II [M] Dated 24.02.2016.

A. Specific Conditions

Sl. No	Condition	Compliance status
(i)	Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court of Maharashtra and any other Court of Law, if any, as may be applicable to this project.	Will be complied.
(ii)	Environmental clearance is subject to obtaining clearance, if any, under the Wildlife (Protection) Act, 1972 from the Competent Authority, as may be applicable to this project.	Clearance under Wildlife (Protection) Act, 1972 is not applicable as there are no wildlife sanctuaries, National Parks, Biosphere reserves, wildlife corridors within 10 km radius of the project boundary.
(iii)	No mining activities will be allowed in forest area, if any, for which the Forest Clearance is not available.	Forest clearance is not applicable as the entire lease area is Non-forest private patta land. Also, as per the records of revenue department in 7/12, the survey numbers under which lease falls is non forest land.
(iv)	The project proponent shall obtain Consent to Operate from the State Pollution Control Board, Maharashtra and effectively implement all the conditions stipulated therein.	Consent to Operate for mining 5.0 LTPA has also been obtained from MPCB vide Consent No. BO/JD(APC)/UAN No. KP-/O/CC/10274 dated 21.10.2016 and subsequent amendment vide consent No. BO/JD(APC)/TB-3/Amendment/CC-10274(A) dated 03.02.2017 has been obtained.
(v)	A study from an Institution of Repute may be conducted on the impact of Bauxite dust on Crop Productivity in agricultural land located around mines and mitigation measures to be implemented by PP to reduce the impact.	We have approached National Environmental Engineering Research Institute (NEERI) for the said study and are in the phase of finalizing the scope of study, technical details and financials for the study.
(vi)	Recommendation by the Institute, for crops most suited in this environment and training to the farmers to switch over to new cropping system which will sustain nutrient loading.	Will be complied.
(vii)	Proponent shall carry out occupational Health surveillance for workers engaged in the project	Initial medical examination and periodic medical examination of workers is being undertaken on

Sl. No	Condition	Compliance status
	and records maintained and necessary remedial	regular basis from authorized medical officer
	/ preventive measures to be taken accordingly.	and records are maintained.
	Implementation of the recommendations of	
	National Institute for ensuring good	
	occupational environment for mine workers.	
(viii)	Use of mechanical devices for excavating the ore and reducing use of explosives.	HEMM is being used for excavating the ore. Drilling and blasting is being done to loosen the ore strata only. In order to minimize blasting, ripper dozer is also being practiced.
(ix)	Concurrent reclamation of mined out areas shall be done.	The reclamation of exhausted pits is being carried out as per Environmental Management Plan. In the year 2016-2017, 1.65 Ha of the area has been reclaimed and 1486 nos. of native plant species of fruit bearing seedlings like Mango, Cashew & Suru have been planted. Aftercare of the plantation is being taken until it's self-sustainable.
(x)	Use of effective sprinkler system to suppress fugitive dust on haul roads and other transfer points and undertaking comprehensive study in a year's time for slope stabilization of mine benches and OB dumps.	In order to control the fugitive dust emission during mining operations, following arrangements has been provided: 1. Constructed ~150 m of black topped metalled road near weigh bridge, 2. Permanent water sprinkling system on main haul roads, 3. Constructed metalled road from mobile crusher unit to stack, 4. Water Sprinkling on haul road inside the lease and outside over the transport road by means of mobile water tankers, 5. Water sprinkling arrangements at the mobile crusher unit, Please refer Annexure 1 for the EMPs carried out for Air Pollution Control. As per the geological profile of the lease area (provided in IBM approved Mining Scheme), strata of the area is hard and compact in nature. Also the mining will be carried out by Open Cast Mining Method with single bench with a maximum working depth of around 5.5 m. Thus in this case, slope stabilization of mine bench is not required.
		Also as mentioned in IBM approved Modified Mining Plan, there is no Overburden (OB) present in the area, thus, no slope stabilization of OB Dumps is required.
(xi)	Implementation of action plan on the issues raised during Public Hearing. The proponent shall complete all the tasks as per the action plan submitted with the budgetary provisions	The issues raised during public hearing are being implemented in line with the submitted action plan.

Sl. No	Condition	Compliance status
	during the Public Hearing.	
(xii)	The mining operations shall be restricted to above ground water table and it should not intersect groundwater table. Prior approval of the Ministry of Environment & Forests and Central Ground Water Authority shall be obtained for mining below water table.	The mining operations are restricted above ground water table. However, as per the Guidelines/Criteria for evaluation of Proposals/ Request for Ground Water Abstraction issued by CGWA effective from 16.11.2015, we have applied to CGWA for NOC to abstract ground water on 19.01.2017. Application copy is attached as Annexure 2 . We will submit the copy of NOC for ground water abstraction on receipt of same.
(xiii)	The project proponent shall ensure that no natural watercourse shall be obstructed due to any mining operations.	Is complied. No natural watercourse is obstructed due to any mining operations.
(xiv)	Top soil should be stacked with proper slope at earmarked site(s) only with adequate measures and should be used for reclamation and rehabilitation of mined out areas.	The entire mine lease area is having lateritic capping and there is no top soil in the lease area.
(xv)	The entire waste generated shall be backfilled and there shall be no external over burden dump left at the end of the mine life. The entire backfilled area shall be reclaimed by plantation. The backfilling should be carried out in such a manner that it is restored to the normal ground level. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forests and its Regional Office, Nagpur on six monthly basis.	No OB is present within lease area. However intercalated waste is generated which is used for backfilling the mine out areas. In the year 2016-2017, 1.65 Ha of the area has been reclaimed and 1486 nos. of native plant species of fruit bearing seedlings like Mango, Cashew & Suru have been planted. Monitoring and management of rehabilitated area shall continue until the vegetation becomes self-sustaining. Compliance Status in terms of Six Monthly Compliance Report is being submitted to the Regional Office of the MoEF&CC, Nagpur on regular basis.
(xvi)	Catch drains and siltation ponds of appropriate size should be constructed for the working pit, temporary OB dumps, if any and mineral dumps to arrest flow of silt and sediment. The water so collected should be utilized for watering the mine areas, roads, greenbelt development etc. The drains should be regularly desilted, particularly after monsoon, and maintained properly.	During pre-monsoon preparatory work, temporary catch drains / trenches are constructed around the working pits, mineral stacks and waste dumps to channelize the rain water towards mined out pits / rain water harvesting pits. Size, length and gradient of these drains depends upon the slope and distance from the pit. This water gets collected into the pits where it is allowed for sedimentation under gravity. Siltation ponds are also provided in the direction of overflow of these pits in order to arrest the silt flowing with the overflow, if any.

Sl. No	Condition	Compliance status	
(wy::)	Coulond durin of annuarieta size, and direct and	Please refer Annexure 3 for the photographs showing the Environment Management Practices (EMPs) carried out for water conservation.	
(xvii)	Garland drain of appropriate size, gradient and length shall be constructed for both mine pit and temporary dumps and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper settling of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals.	Temporary garland drains are constructed around the working pits, mineral stacks and waste dumps to channelize the rain water towards mined out pits / rain water harvesting pits. Size, length and gradient of these drains depends upon the slope and distance from the pit.	
(xviii)	Dimensions of the retaining wall at the toe of temporary dumps and OB benches within the mine to check run-off and siltation should be based on the rainfall data.	Retaining wall has been constructed at mining lease. The total length of retaining wall is 93 m.	
(xix)	Plantation shall be raised in the specific area including a 7.5 m wide green belt in the safety zone around the mining lease by planting the native species around ML area, backfilled and reclaimed area, around water body, roads etc. in consultation with the local DFO/Agriculture Department. The density of the trees should be around 2500 plants per ha.	plantation is being carried out over backfille area, boundary of haul roads and also along least boundary where ever is possible. Saplings of cashew and mango are being planted after consultation with scientist from Konkan Krish	
(xx)	Regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of SPM and RSPM such as haul road, loading and unloading point and transfer points. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	 In order to control the fugitive dust emission during mining operations, following arrangements has been provided: 1. Constructed ~150 m of black topped metalled road near weigh bridge, 2. Permanent water sprinkling system on main haul roads, 3. Constructed metalled road from mobile crusher unit to stack, 4. Water Sprinkling on haul road inside the lease and outside over the transport road by means 	

Sl. No	Condition	Compliance status
(vvi)	The project authority should implement	of mobile water tankers, 5. Water sprinkling arrangements at the mobile crusher unit, Please refer Annexure 1 for the EMPs carried out for Air Pollution Control. Monthly ambient air monitoring is being done by MoEFCC approved lab and AAQ parameters are within the permissible limits as specified by CPCB. Please refer Annexure 5 for Ambient Air monitoring results. For recharging groundwater rain water is
(xxi)	The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board	channelized into the mined out pits by the means of garland drains, catch drains, trenches. Dimensions of rain water harvesting pit = 100m x 60m x 5.5m.
(xxi1)	Regular monitoring of ground water level and quality should be carried out in and around the mine lease by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring should be carried out four times in a year i.e. January, April-May, August, November and the data thus collected may be sent regularly to Ministry of Environment and Forests, its Regional Office, Nagpur; Central Ground Water Authority and Central Ground Water Board.	Regular monitoring of water quality in and around the mining lease is being carried out by MoEFCC approved laboratory. A comprehensive hydrogeological study is also carried out for the entire area by CGWB. Central ground water Board (CGWB) and Ground water survey and Development Agency (GSDA) has carried out water exploration in district. The report of study carried by CGWB is available at http://cgwb.gov.in/district_profile/maharashtra/r atnagiri.pdf
(xxiii)	Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and in transportation of mineral. The vehicles should be covered with a tarpaulin and shall not be overloaded.	Vehicles are maintained on regular basis to have emission under control. All the vehicles are made mandatory to carry PUC certificate. Transportation of ore is being done through tarpaulin covered trucks only. There will be no overloading of trucks. Weigh bridges are being maintained at the outlet of mine area.
(xxiv)	Blasting operation should be carried out only during the daytime. Controlled blasting should be practiced. The Mitigative measures for control of ground vibrations and to arrest fly rocks and boulders should be implemented.	Blasting is being done during day time only. Controlled blasting operations are carried out.
(xxv)	Drills shall either by operated with dust extractors or equipped with water injection system.	Drilling is being carried out using dust extractors along with wet drilling. To minimize blasting ripper-dozer is also used at mining site.
(xxvi)	A final mine closure plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forests 5 years in	Will be complied.

Sl. No	Condition	Compliance status
	advance of final mine closure for approval.	
B: GEN	NERAL CONDITIONS:	
(i)	No change in mining technology and scope of working shall be made without prior approval of Ministry of Environment and Forests.	There is no change in Mining technology.
(ii)	No change in calendar plan including excavation, quantum of mineral and waste shall be made.	Only calendar year plan as per approved Mining Plan is being followed for excavation quantum of mineral and waste.
(iii)	The project proponent shall obtain necessary prior permission of the competent authorities for drawl of requisite quantity of surface water and ground water for the project.	We have applied for CGWA Clearance on 19.01.2017. Application copy is attached as Annexure 2. We will submit the copy of NOC for ground water abstraction on receipt of same.
(iv)	Regular monitoring of ground water table to be carried out at the upstream and depth of water available in the dug well to be measured. Monitoring to be done by establishing a network of existing wells and constructing new piezometers.	Regular monitoring of water quality in and around the mining lease is being carried out by MoEFCC approved laboratory. A comprehensive hydrogeological study is also carried out for the entire area by CGWB. Central ground water Board (CGWB) and Ground water survey and Development Agency (GSDA) has carried out water exploration in district. The report of study carried by CGWB is available at http://cgwb.gov.in/district_profile/maharashtra/r atnagiri.pdf
(v)	Monitoring of ambient air quality to be carried out based on the 2009 Notification, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at places i.e. loading and unloading points & transfer point to reduce fugitive emissions.	Ambient air quality monitoring is done in accordance with the notification issued by Central Pollution Control Board in 2009. Water sprinkling is done regularly at loading and unloading points and transfer point to reduce fugitive emission.
(vi)	The upliftment of scheduled caste/ scheduled tribe population, specific programmes have been taken into consideration especially with respect to education, health care, livelihood generation, infrastructure development and promotion of sports & culture for SC/ST population and that these will be intensified in future.	Due to mining activities, employment for the locals (as per their abilities) has been generated in the area. In-directly, in terms of small business opportunities like, garages for vehicles and equipment maintenance, spare parts shops, hardware shops, food stalls, local dabhas, local conveyance, local grocery shops etc. has been increased in the area. Also, company has given contracts to local villagers for providing water sprinkling tankers for dust control. Because of these, there is an increase in the money flow in the locals which eventually strengthen the socio-economic conditions of the area including the SC/ST population.

(vii)	Plantation shall be raised in a 7.5 m wide greenbelt in the safety zone around the mining lease, backfilled and reclaimed area, around water body, along the roads etc. by planting the native species in consultation with the local DFO/Agriculture Department. The density of the trees should be around 2500 plants per ha. Greenbelt shall be developed all along the mine lease area in a phased manner and shall be completed within first five years.	Villages in the area constitute committees like; Navtarun Gramasth Mandal, Rowale, Vidhyadhan Sikhsa Sanstha, Jawle, Vanjloli Bodhjan Seva Sangh, Shayadhari Sikhsa Sansthan, Mandiwali etc. With whom company is in regular discussion to carry out CSR activities depend on their needs. Activities like; Distribution of free text books, guide books & provision of Digital Classroom in Primary Schools, Free medical camp in study area, Donation for Construction of Community centers, water pipeline, compound wall etc in the study area, Donation for the promotion of sports activities. Educational Aids to the schools, has been performed in the area on regular basis for the upliftment of society. Please refer Annexure 6 for the photographic presentation of the CSR activities carried out in the area. Every year during the monsoon season, plantation is being carried out over backfilled area, boundary of haul roads and also along lease boundary where ever is possible. Saplings of cashew and mango are being planted after consultation with scientist from Konkan Krishi Vidyapeth, Dapoli and also taking the consideration of local villagers. Other saplings like Amla, Kokam, Jamun, Jack Fruit are also being planted. Also after discussion with experts, for better growth of saplings, plantation is being carried out in 4m x 4m area per sapling. In the year 2016-2017, 1.65 Ha of the area has been reclaimed and 1486 nos. of native plant species of fruit bearing seedlings like Mango, Cashew & Suru have been planted.
		Please refer Annexure 4 for Plantation Photographs.
(viii)	Dimension of the retaining wall at the toe of over burden dumps and OB benches within the mine to check run-off and siltation shall be based on the rainfall data.	Retaining wall has been constructed at mining lease. The total length of retaining wall is 93 m.
(ix)	Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high	In order to control the fugitive dust emission during mining operations, following arrangements has been provided: 1. Constructed ~150 m of black topped metalled

	levels of points. It shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	road near weigh bridge, 2. Permanent water sprinkling system on main haul roads, 3. Constructed metalled road from mobile crusher unit to stack, 4. Water Sprinkling on haul road inside the lease and outside over the transport road by means of mobile water tankers, 5. Water sprinkling arrangements at the mobile crusher unit, Please refer Annexure 1 for the EMPs carried out for Air Pollution Control. Monthly ambient air monitoring is being done by MoEFCC approved lab and AAQ parameters are within the permissible limits as specified by CPCB. Please refer Annexure 5 for Ambient Air monitoring results.
(x)	Regular monitoring of the flow rate of the springs and perennial nallahs flowing in and around the mine lease shall be carried out and records maintained. Regular monitoring of water quality upstream and downstream of water bodies shall be carried out and record of monitoring data should be maintained and submitted to the Ministry of Environment, Forest & Climate Change, its Regional Office, Nagpur, Central Groundwater Authority, Regional Director, Central Ground Water Board, State Pollution Control Board and Central Pollution Control Board.	No springs and perennial nallahs are flowing in and around the lease area. Regular monitoring of water quality and level is being carried out by MoEFCC approved lab and the report of the same is submitted to MoEFCC, Regional Office, Nagpur and Sub-Regional Office, MPCB, Chiplun on regular basis.
(xi)	Regular monitoring of ground water level and quality shall be carried out in and around the mine lease by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring shall be carried out four times in a year – Pre Monsoon (April – May), Monsoon (August), post – monsoon (November) and winter (January) and the data thus collected may be sent regularly to Ministry of Environment, Forest & Climate Change and its regional office, Nagpur, Central Ground Water Authority and Regional Director, Central Ground Water Board.	Regular monitoring of water quality and level is being carried out. A comprehensive hydrogeological study is also carried out for the entire area by CGWB. Central ground water (CGWB) has carried out water exploration in district based on GEC-97 methodology. The report of study carried by CGWB is available at http://cgwb.gov.in/district_profile/maharashtra/r atnagiri.pdf
(xii)	The critical parameters such as PM_{10} (size less than 10 micro meter), $PM_{2.5}$ (size less than 2.5 micro meter), NO_X in the ambient air within the impact zone, peak particle velocity at 300 m distance or within the nearest habitation, whichever is closer shall be monitored periodically. Further, quality of discharged	Regular monitoring of PM ₁₀ , PM _{2.5} , SO _X and NO _X is carried out regularly with MoEFCC approved laboratory and the report of same is submitted to MoEFCC, Regional Office, Nagpur and to Sub-Regional Office, MPCB, Chiplun regularly. No discharge of water takes places from mining lease.

(xiii)	water shall also be monitored [TDS, DO, PH and total suspended Solids (TSS)]. The monitored data shall be uploaded on the website of the company as well as displayed on a display board at the project site at a suitable location near the main gate of the company in public domain. The circular No, J-20012/1/2006-IA.II(M) dated 27.05.2009 issued by Ministry of Environment, Forests & Climate Change, which is available on the website of the Ministry www.emvfor.nic.in shall also be referred in this regard for its compliance. Four ambient air quality- monitoring stations shall be established in the core zone as well as in the buffer zone for RPM, SPM, SO ₂ , NO _x monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board. Data on ambient air quality should be regularly submitted to the Ministry including its Regional Office located at Nagpur and the State Pollution Control Board/ Central Pollution Control Board once in six months.	Four manual ambient air quality monitoring stations are being placed in core as well as in buffer zone for monitoring. Locations: a. Near Mining Pit, b. Near Mobile Crusher Unit, c. On Haul Road, d. In Umbershet Village Results of these are being submitted to the MPCB, Chiplun office on regular basis.
(xiv)	Fugitive dust emissions from all the sources shall be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points shall be provided and properly maintained.	 In order to control the fugitive dust emission during mining operations, following arrangements has been provided: Constructed ~150 m of black topped metalled road near weigh bridge, Permanent water sprinkling system on main haul roads, Constructed metalled road from mobile crusher unit to stack, Water Sprinkling on haul road inside the lease and outside over the transport road by means of mobile water tankers, Water sprinkling arrangements at the mobile crusher unit, Please refer Annexure 1 for the EMPs carried out for Air Pollution Control.
(xv)	Measures shall be taken for control of noise level below 85 dB (A) in the work environment. Workers engaged in operations of HEMM, etc. shall be provided with ear plugs / muffs.	Adequate measures are taken to minimize the noise level by doing regular maintenance of all machineries. Workers engaged in operation of HEMM are provided with Ear Muffs.
(xvi)	Industrial Waste water (workshop & waste water from the mine) should be properly	We have not established any workshop within the mining lease. Maintenance of all the vehicles

	collected tweeted as as to conform to the	and manhimanian and dama a	t maambay tayyu Damali
1	collected, treated so as to conform to the	and machineries are done a	-
	standards prescribed under GSR 422 (E) dated	in private garages. Waste w	
	19th May 1993 and 31st December, 1993 or as	not discharged into surface	water and diverted to
	amended from time to time. Oil and Grease	settling pond.	
	trap shall be installed before discharge of		
(:	workshop effluents.	Demograph vyodvino in dvet	
(xvii)	Personnel working in dusty areas shall wear protective respiratory devices and they shall	Personnel working in dust with respiratory devices lik	-
	also be provided with adequate training and	The information and traini	2 22
	information on safety and health aspects.	on use of these devices.	ing is provided to an
(xviii)	Occupational health surveillance program of	Initial medical examination	and periodic medical
(AVIII)	the workers should be undertaken periodically	examination of workers is	
	to observe any contractions due to exposure to	regular basis from author	_
	dust and take corrective measures, if needed.	and records are maintained.	ized intedical officer
(xix)	A separate environmental management cell	A separate Environmental	Management cell is
(1111)	with suitable qualified personnel shall be set up	opened. AGM - Environm	
	under the control of a Senior Executive, who	he is directly reporting	
	will report directly to the Head of the	organization.	
	Organization.		
(xx)	The funds earmarked for environmental	The funds earmarked	for Environmental
	protection measures shall be kept in separate	protection work is key	
	account and should not be diverted for other	expenditure occurred for a	Ü
	purpose. Year wise expenditure shall be	last six month is Rs. 25,79,7	
	reported to the ministry and its Regional Office	Particular of the job	Recurring Cost.
	located at Nagpur.		(Rs.)
1			
		Afforestation & Aftercare	1,04,509
		Environmental	
		Environmental Monitoring	1,04,509 3,20,000
		Environmental Monitoring Water Sprinkling (Dust	3,20,000
		Environmental Monitoring Water Sprinkling (Dust suppression)	
		Environmental Monitoring Water Sprinkling (Dust suppression) Garland drains/ settling	3,20,000 17,10,368
		Environmental Monitoring Water Sprinkling (Dust suppression) Garland drains/ settling pond	3,20,000
		Environmental Monitoring Water Sprinkling (Dust suppression) Garland drains/ settling pond Others (Road	3,20,000 17,10,368 98,195
		Environmental Monitoring Water Sprinkling (Dust suppression) Garland drains/ settling pond Others (Road maintenance)	3,20,000 17,10,368 98,195 3,46,631
(xxi)	The project authorities should inform to the	Environmental Monitoring Water Sprinkling (Dust suppression) Garland drains/ settling pond Others (Road maintenance) TOTAL	3,20,000 17,10,368 98,195 3,46,631 25,79,703
(xxi)	The project authorities should inform to the Regional office located at Nagpur regarding	Environmental Monitoring Water Sprinkling (Dust suppression) Garland drains/ settling pond Others (Road maintenance) TOTAL We are using our own reso	3,20,000 17,10,368 98,195 3,46,631 25,79,703
(xxi)	Regional office located at Nagpur regarding	Environmental Monitoring Water Sprinkling (Dust suppression) Garland drains/ settling pond Others (Road maintenance) TOTAL	3,20,000 17,10,368 98,195 3,46,631 25,79,703
(xxi)	Regional office located at Nagpur regarding date of financial closure and final approval of	Environmental Monitoring Water Sprinkling (Dust suppression) Garland drains/ settling pond Others (Road maintenance) TOTAL We are using our own reso	3,20,000 17,10,368 98,195 3,46,631 25,79,703
(xxi)	Regional office located at Nagpur regarding date of financial closure and final approval of the project by the concerned authorities and the	Environmental Monitoring Water Sprinkling (Dust suppression) Garland drains/ settling pond Others (Road maintenance) TOTAL We are using our own reso	3,20,000 17,10,368 98,195 3,46,631 25,79,703
(xxi)	Regional office located at Nagpur regarding date of financial closure and final approval of	Environmental Monitoring Water Sprinkling (Dust suppression) Garland drains/ settling pond Others (Road maintenance) TOTAL We are using our own reso	3,20,000 17,10,368 98,195 3,46,631 25,79,703 purces and this clause
	Regional office located at Nagpur regarding date of financial closure and final approval of the project by the concerned authorities and the date of start of land development work.	Environmental Monitoring Water Sprinkling (Dust suppression) Garland drains/ settling pond Others (Road maintenance) TOTAL We are using our own reso is not applicable.	3,20,000 17,10,368 98,195 3,46,631 25,79,703 purces and this clause
	Regional office located at Nagpur regarding date of financial closure and final approval of the project by the concerned authorities and the date of start of land development work. The Regional office of this Ministry located at	Environmental Monitoring Water Sprinkling (Dust suppression) Garland drains/ settling pond Others (Road maintenance) TOTAL We are using our own reso is not applicable.	3,20,000 17,10,368 98,195 3,46,631 25,79,703 purces and this clause
	Regional office located at Nagpur regarding date of financial closure and final approval of the project by the concerned authorities and the date of start of land development work. The Regional office of this Ministry located at Nagpur shall monitor compliance of the	Environmental Monitoring Water Sprinkling (Dust suppression) Garland drains/ settling pond Others (Road maintenance) TOTAL We are using our own reso is not applicable. The project authorities will to any of the concerned off.	3,20,000 17,10,368 98,195 3,46,631 25,79,703 purces and this clause
	Regional office located at Nagpur regarding date of financial closure and final approval of the project by the concerned authorities and the date of start of land development work. The Regional office of this Ministry located at Nagpur shall monitor compliance of the stipulated conditions. The project authorities should extend full co-operation to the officer (s) of the Regional office by furnishing the	Environmental Monitoring Water Sprinkling (Dust suppression) Garland drains/ settling pond Others (Road maintenance) TOTAL We are using our own reso is not applicable. The project authorities will to any of the concerned off.	3,20,000 17,10,368 98,195 3,46,631 25,79,703 purces and this clause
	Regional office located at Nagpur regarding date of financial closure and final approval of the project by the concerned authorities and the date of start of land development work. The Regional office of this Ministry located at Nagpur shall monitor compliance of the stipulated conditions. The project authorities should extend full co-operation to the officer	Environmental Monitoring Water Sprinkling (Dust suppression) Garland drains/ settling pond Others (Road maintenance) TOTAL We are using our own reso is not applicable. The project authorities will to any of the concerned off.	3,20,000 17,10,368 98,195 3,46,631 25,79,703 purces and this clause
(xxii)	Regional office located at Nagpur regarding date of financial closure and final approval of the project by the concerned authorities and the date of start of land development work. The Regional office of this Ministry located at Nagpur shall monitor compliance of the stipulated conditions. The project authorities should extend full co-operation to the officer (s) of the Regional office by furnishing the requisite data / information / monitoring reports.	Environmental Monitoring Water Sprinkling (Dust suppression) Garland drains/ settling pond Others (Road maintenance) TOTAL We are using our own reso is not applicable. The project authorities will to any of the concerned off requisite data.	3,20,000 17,10,368 98,195 3,46,631 25,79,703 burces and this clause I extend co-operation icer by furnishing the
	Regional office located at Nagpur regarding date of financial closure and final approval of the project by the concerned authorities and the date of start of land development work. The Regional office of this Ministry located at Nagpur shall monitor compliance of the stipulated conditions. The project authorities should extend full co-operation to the officer (s) of the Regional office by furnishing the requisite data / information / monitoring reports. The project proponent shall submit six monthly	Environmental Monitoring Water Sprinkling (Dust suppression) Garland drains/ settling pond Others (Road maintenance) TOTAL We are using our own reso is not applicable. The project authorities will to any of the concerned off requisite data.	3,20,000 17,10,368 98,195 3,46,631 25,79,703 burces and this clause I extend co-operation icer by furnishing the
(xxii)	Regional office located at Nagpur regarding date of financial closure and final approval of the project by the concerned authorities and the date of start of land development work. The Regional office of this Ministry located at Nagpur shall monitor compliance of the stipulated conditions. The project authorities should extend full co-operation to the officer (s) of the Regional office by furnishing the requisite data / information / monitoring reports.	Environmental Monitoring Water Sprinkling (Dust suppression) Garland drains/ settling pond Others (Road maintenance) TOTAL We are using our own reso is not applicable. The project authorities will to any of the concerned off requisite data.	3,20,000 17,10,368 98,195 3,46,631 25,79,703 Fources and this clause the status on the ulated environmental

	Ministry of Environment, Forest and Climate Change, its regional Office, Nagpur, Central Pollution Control Board and State Pollution Control Board.	Office, Nagpur and to Sub-Regional Office, MPCB, Chiplun on regular basis.
(xxiv)	The project proponent shall submit six monthly report on the status of the implementation of the stipulated environmental safeguards to the Ministry of Environment, Forest and Climate Change, its Regional Office, Nagpur, Central Pollution Control Board and State Pollution Control Board.	Six monthly report on the status on the implementation of the stipulated environmental safeguards is submitted to MoEFCC, Regional Office Nagpur and to Sub-Regional Office, MPCB, Chiplun on regular basis.
(xxv)	A copy of Clearance letter will be marked to concern Panchayat / local NGO, if any, from whom suggestion / representation has been received while processing the proposal.	Complied.
(xxvi)	State Pollution Control Board should display a copy of the clearance letter at the Regional office, District industry Centre and collector's office / Tehsildars office for 30 days.	Not Applicable
(xxvii)	The project authorities shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http:// envfor.nic.in and a copy of the same shall be forwarded to the Regional Office of this Ministry located at Nagpur.	Complied.
Date: 2	9.05.2017	For Ashapura Minechem Limited
		Lucli


Authorized Signatory

Place:Mumbai

Annexure 1: Air Pollution Control Measures taken at site



Mobile Water Tanker in Umbershet Mines



Water Sprinkler Arrangement at Umbershet Mines





Provision of Tar Road near Weigh Bridge



Metalled Road from Mobile Crusher unit to Stock



Transportation by tarpaulin covered trucks



Air Quality Monitoring in Umbershet Mines

Application for Permission to Dewater Ground Water for Mining Industry (Application for New NOC)

Application Number: 21-4/731/MH/MIN/2017

P.U	phoation Number . 21-4/	737/417/4114/2017		
1.	General Information:			
	Water Quality:	Fresh Water		
	Whether Ground Water Utilization for:	Existing Industry		
	Date of Commencement Mine/Project:	14/05/2014		
	Date of Expansion:			
	Application Type Category/ Type of Application	Mineral Products		
2.	Name of Mine/Project:	VELAS SAKHRI SAKHRI UMBERSHET ROWALE KAVDOLI AND UTTAMBER BAUXITE MINE DHANWATE JETTY CONVEYOR BELT		
3.	Location Details of the M Radius Outside) (\$):	lining Unit- (Attach Site, Approved Mining Plan, Toposketch of Surrounding 10km		
	Address Line 1:	VILLAGE UMBERSHET		
	Address Line 2:	POST KELSHI		
	Address Line 3:	TALUKA DAPOLI, DISTRICT RATNAGIRI,		
	State:	MAHARASHTRA		
	District:	RATNAGIRI		
	Sub-District:	DAPOLI		
4	Village/Town:	Umbarshet		
5	Area Type :	Non-Notified		
	Area Type Category :	Safe		
4.	Communication Address			
	Address Line 1:	M/S. ASHAPURA MINECHEM LTD		
	Address Line 2:	. 278, JEEVAN UDYOG BUILDING, 3RD FLOCR D.N.ROAD, FORT,		
	Address Line 3:	MUMBAI - 400 001		
	State:	MAHARASHTRA		
	District:	MUMBAI		
	Sub-District:	MUMBAI		
5	Pincode:	400001		
	Phone Number with Area Code:	91 22 66651700		
	Mobile Number:	91 9619834764		
	Fax Number:	91 22 22079395		
	E-Mail:	krishnat@ashapura.com		
_				

5. Salient Features of the Activity:

Six Bauxite mines are working without intersection of ground water with surface RL ranging between 320 to the depth of mining is between 2 and 6 m bgl. The water table in mines are in the rage of 150 to 10 m msl. Which is much below the working depth. The total mining capacity is 1.912 Million Ton Per Year.

Application for Permission to Dewater Ground Water for Mining Industry (Application for New NOC)

Application Number: 21-4/731/MH/MIN/2017

6. Land Use Details of the Surroundings (km 10 Radius - Outside): (\$)

		roundings(km 10 km2	km Buffer zone area of 314 km2 2 on land. Total land area constit 6 Culturable waste and remainir	tute less than 1 % under irrig	ation, 30 % un-						
7.	Lan	d Use Detail of Project Are	ea								
		Land Use Details	Existing (sq meter)	Proposed (sq meter)	r) Grand Total (sq n						
	Gre	en Belt Area	121300.00		0.00	121300.00					
	Ope	n Land	5543306.00		0.00	5543306.00					
	Roa	d/ Paved Area	66573.00		0.00	66573.00					
	Roo	ftop area of building/	2290.00		0.00	2290.00					
	Tota	al .	5733469.00		0.00	5733469.00					
8.	Тор	ography of the Area									
100	a)	Regional		Topography is generally sloping elevation of ground various from 320 m above msl to 25 m above msl. The slop is towards Arabian sea.							
	b)	Project Area		Topography is generally flat an elevation from 10 to 15 m a msl the slope of ground is towards creek.							
9.	Drai	inage in the Area (River / I	Vala etc)								
	a)	Regional		There is well defined drainage system having dendrilic drainage pattern Savitri, Bharja and Maharwadi River are present which drain the rainwater towards Arabian Sea.							
	b)	Project Area		Near pumping station there is nala which confluence into creek.							
10.		rce of Availability of Surfa	ace Water	creek- Arabian Sea							
11.	Ave	rage Annual Rainfall in the	e Area (in mm):	3118.00							
12.	Tow	nships/Villages within 10	km radius of the Project:	Velas Sakhri, Sakhri, Umbershet, Rowale, Kavdoli, Uttamber and more given in Key Plan as Annexure 1							
13.	Whet	ther the Groundwater Tab	le will be Intersected by Activ	ity :-	No						
	(a)	At What Depth (m bgl)		Pre-monsoon	nonsoon						
	ı	Minimum (m bgl)									
	1	Maximum (m bgl)									
	(b) I	Maximum Depth Proposed	d to Dewater (m bgl)								
	(c) (Groundwater Flow Direction	on (Attach Map)(\$)								
	(d) A	Any Other Information									
4.	Total	Water Requirment for va	rious Purpose to be Mentione	d (m3/day)	(m3	3/year)					
	Grou	nd Water Required throug	h Abstract Structure	280	67200.00						
	Grou Seep		ccount of Dewatering / Mining	3							
	Total	Ground Water Withdrawa	ıl	280	00	67200.00					

Application for Permission to Dewater Ground Water for Mining Industry (Application for New NOC)

Application Number: 21-4/731/MH/MIN/2017 15. Details of De-Watering Structure (a) De-Watering Existing Structure **Number of Existing Structures:** Horse Whether Whether SNo Type of Depth(Meter) / Depth Discharge Operational Mode Permission Structure Diameter(mm) (m3/Hour) Hours(Day) of Power fitted to Lift with of Registeredwith Water Name / Year Days(Year) Name Pump Water CGWA /If so of Level Construction (Meters Meter Details Thereof below Ground Level) (b) De-Watering Requirement and Proposed Structure Detail **Number of Proposed Structures:** SNo. Depth(Meter) / Depth Discharge Operational Mode Horse Whether Whether Type of Power fitted Structure Hours(Day) / Permission Diameter(mm) to (m3/Hour) of Name / Year Water Days(Year) Lift of with Registered of Level Name Pump Water with Meter CGWA/If Construction (Meters below SO Ground Details Thereof Level) 16. Proposed Utilization of Pumped Water (Please Attach Details)(m3/year) (\$) (a) Domestic Use in Mines 8880.00 Annexure 3 (b) Water Supply (c) Agriculture (d) Green Belt Development 12960.00 Annexure 3 (e) Suppression of Dust 44160.00 Annexure 3 (f) Recharge (g) Any Other Item Industrial activity 1200 given in Annexure 3 17. Monitoring of Ground Water Regime (Attach Map(\$)) (a) Location Details of the Wells / Piezometers Details given in Hydrogeological Report attached as (Latitute, Longitude, Reduced Level) Annexure 4 (b) Number of Wells / Piezometers Details given in Hydrogeological Report attached as Annexure 4 (c) Attach Details of GW Level of Observation Wells / Details given in Hydrogeological Report attached as Piezometers(At Least for One Year)(\$) Annexure 4 (d) Number of Wells / Piezometers Proposed to 10 Monitor (e) Number of Piezometers Proposed to Monitor to Construct in Surroundings (f) General Quality of GW in the Area & Potable Surroundings (\$) (g) Any Other Item None

Application for Permission to Dewater Ground Water for Mining Industry (Application for New NOC)

Application Number: 21-4/731/MH/MIN/2017

If Yes, so Details thereof with Status:

18.	Proposed Pump / Pumping Groundwater	Outside the Mine Pit for Domestic or Other Use (If so, give Det	tails):

	Numbe	r of Existing S	Structures:			0							
	SN	o. Type of Structure Name / Yea of Construction	ar		(m3/Hou	pe Operation r) Hours(Da / Days(Yea	y) of Lift	Horse Power of Pump	Whether fitted with Water Meter	Whether Permission Registered with CGWA/If so Details Thereof			
N	lumber	of Proposed S	Structures:			1							
	SNo.	Type of Structure Name / Year of Construction	Depth(Meter) / Diameter(mm)	Depth to Water Level (Meters below Ground Level)	Discharge (m3/Hour)	Operational Hours(Day) / Days(Year)	Mode of Lift Name	Horse Power of Pump	Whether fitted with Water Meter	Whether Permission Registered with CGWA/If so Details Thereof			
	1	Dugwell / 2017	15.00 / 5000	1.00	25.00	12 / 240	Submersible Pump	7.50	Yes	Yes / Being applied			
19.	Ground	dwater Quality	ility Report (Pl	5Km of th			Report / Note	on Groun	idwater Co	ndition /			
	Hydrog	eological Repo	rt attached as Ar	nexure 4									
	Firm ha	s Proposed to	Harvesting and take up Rainw y / Agency whe ttach Report on	ater Harvere the Har	esting and vesting Me	Recharge ou asures are P	tside the Pre	mises, th	en provide plemented	NOC from Details			
	Rainwa	ter Harvesting	Report attached	as Annexu	ire 5								
	Copy of Referral Letter seeking NOC from Board / Bureau of Indian Standards / Min be Annexed (\$)												
	Attache	ed Referral Le	tter										
	S.I	No Attache	ed Referral Lette	eferral Letter Attachment Na				File Nar	File Name				
		State Pollu	tion Control Boar	rd Anne	erral Annexi	rral Annexure 6 Referral Letters.pdf							



Application for Permission to Dewater Ground Water for Mining Industry (Application for New NOC)

Application Number: 21-4/731/MH/MIN/2017

MINING USE- Self Declaration

- It is to Certify that the Data and Information Furnished Above are True to the Best of My Knowledge and Belief and I am Aware that if any Part of the Data / Information Submitted is Found to be False or Misleading at any Stage the Application will be Rejected Out Rightly.
- 1. Application Proforma is subject to modification from time to time.
- 2. Application should be submitted to Regional Office.

Regional Director, Central Ground Water Board Central Region, N.S. Building, Civil Lines, NAGPUR, MAHARASHTRA, 440001

3. Incomplete Application will be Summarily Rejected.

Submitted Application will not be Processed till the Print Out of the Signed Complete Application is Submitted to Regional Office.

4. Applicant has to Submit Processing Fee of Rs. 1000.00/- (Rupees One Thousand Only) in the form of Demand Draft drawn in Favour of PAO, CGWB and Payable at Faridabad, Haryana.

Demand Draft Details:-

D.D. No.	Dated :	
Bank Name:	Amount:	

Note:- The Processing Fee is Non-Refundable. Applicant should ensure and Check Eligibility of Submission of Application and Required Documents before Submitting Online Application.

Attached Files:

1). Site Plan: (Refer 3)

S.No	Attachment Name	File Name						
1	Annexure 1 Site Plan Key Plan	Annexure 1 Site Plan Key Plan.pdf						

2). Approved Mining Plan: (Refer:3)

S.No	Attachment Name	File Name						
1	Annexure 2 SoM Approval Letter	Annexure 2 SoM Approval Letter.pdf						

3). Toposketch of Surroundings 10 km Radius Outside: (Refer: 3)

No Attachment Found!

4). Document of Ownership of the land: (Refer-7)

No Attachment Found!

5). Source of Availability of Surface Water: (Refer-10)

No Attachment Found!

6). GroundWater flow Direction Map: (Refer: 13-C)

No Attachment Found!

7). Proposed Utilization of Pumped Water: (Refer: 16)

S.No	Attachment Name	File Name
1	Annexure 3 Utilization of Groundwater	Annexure 3 Utilization of Groundwater.pdf
		Bishnel &

Application for Permission to Dewater Ground Water for Mining Industry (Application for New NOC)

Application Number: 21-4/731/MH/MIN/2017

8). Monitoring of Groundwater Regime Map: (Refer: 17)

No Attachment Found!

9). GW Level of Observation Wells / Piezometer: (Refer: 17-C)

No Attachment Found!

10). General Quality of Ground Water in the Area: (Refer: 17-f)

No Attachment Found!

11). Groundwater Availability Report: (Refer: 19)

S.No	Attachment Name	File Name
1	Annexure 4 - Ground Water Availability report	Annexure 4 - Ground Water Availability report.pdf

12). Details of Rainwater Harvesting and Artificial Recharge Measures: (Refer: 20)

S.No	Attachment Name	File Name	
1	Annexure 5 - Rainwater Harvesting	Annexure 5 -Rainwater Harvesting.pdf	

13). Authorization:

No Attachment Found!

15). Extra Attachment:

No Attachment Found!

16). Scanned Mining Application:

No Attachment Found!

Date:

Place:

Associated User: shantanupuranik
Submitted By User: shantanupuranik

Submission Date: 19

19/01/2017

[Krishnal Belekar]

Name & Signature of the applicant

(With official seal)

ASHAPURA MINECHEM LIMITED

Jeevan Udyog Building, 3rd Floor,

278, D. N. Road, Fort, Mumbai-400 001, INDIA.

^{*} In case signed by any authorized signatory, the details of the signatory with the authorization shall be enclosed.

Annexure 3: Environment Management Practices for Water Conservation



Bunds around the stock within lease area



Drains to collect and channelize the rain water



Siltation Pond with retention wall



Water after de-siltation coming from retention wall



Rain water Harvesting Pond in lease area

Annexure 4: Plantation at Site









Plantation carried out in backfilled area within lease



Greenbelt along the boundary

Annexure-5: Ambient Air quality Monitoring Results 2016- 2017

			Octobe	r 2016			Novembe	er 2016			Decembe	er 2016			Januar	y 2016			Februa	ry 2016								
S.No.	Locations	I	Parameter	rs (μg/m³)		Parameters (µg/m³) Parameters (µg/m³) Parameters (µg/m³)					Parameters (μg/m³)				Parameters (µg/m³) Parameters (µg/m³)			Parameters (μg/m³)			Parameters (μg/m³)				Parameters (µg/m³)			
		PM ₁₀	PM _{2.5}	SO _x	NO _X	PM ₁₀	PM _{2.5}	SO _X	NO _X	PM ₁₀	PM _{2.5}	SO _X	NO _X	PM ₁₀	PM _{2.5}	SO _X	NO _X	PM ₁₀	PM _{2.5}	SO _X	NO _X							
1.	Crushing Plant	67.53	28.88	19.60	11.41	66.04	28.09	17.75	10.03	67.98	33.74	27.00	17.61	70.45	32.69	23.49	19.98	69.78	29.75	24.32	18.50							
2.	Haulage Road	66.04	29.18	18.12	11.63	69.83	30.10	18.32	9.93	59.31	35.03	25.95	19.38	61.72	32.16	26.08	16.37	60.95	29.34	23.04	16.98							
3.	Mining Pit	59.35	28.04	18.70	10.59	68.24	30.95	17.95	11.51	70.63	30.48	27.06	16.68	70.69	29.90	24.45	18.19	71.24	29.96	22.22	16.22							
4.	Kavdoli Village	58.59	22.50	16.89	10.16	54.35	28.20	17.67	8.86	72.95	41.74	29.04	19.85	21.03	72.04	40.21	19.85	72.74	38.05	27.67	18.32							
5.	Rowale Village	60.81	31.29	17.83	11.11	65.06	31.91	19.82	10.47	74.35	41.55	27.40	23.86	73.93	39.78	26.88	21.03	73.82	38.17	25.13	20.30							
6.	Umbershet Village	59.26	29.68	19.39	11.84	61.16	30.32	18.61	12.24	72.10	40.04	25.95	17.96	73.26	36.60	24.83	18.96	71.94	30.31	20.67	16.06							
7.	Dust Fall – Mine Lease	70.32	35.09	-		71.90	35.98	-		72.67	47.60	-		72.79	46.73	-		72.74	46.58	-								

Permissible limits as per NAAQS Standards

 $PM_{10} = 100 \,\mu g/m^3$

PM_{2.5} 60 μg/m³ SO_X 80 μg/m³

 $NO_X = 80 \mu g/m^3$

Annexure 6: Corporate Social Responsibility





Cleaning of Kelshi Beach












Donation for Floor Construction, Rowlae



Donation for Construction of Community Center, Ilne Village





Opening of Digital School in Ambavali, Jawle





Donation for the construciton of School Veranda, Rowale Village



Donation of Syska LED Street Lights, Kelshi VIllage





Donation for the Construction of Water Pipeline, Sakhari-Khari Village



Donation for Construction of School Building, Mandiwali